



INSULATION CERTIFICATE

This form must be filled out and posted to comply with building code requirements.

Meets IRC requirements: 2006 IRC - N1101.2, N1101.4, N1101.8
2009 IRC - N1101.2, N1101.4, N1101.8
2012 IRC - N1101.3, N1101.7, N1101.12

The following spray polyurethane foam product(s) has/have been installed.

UPC 500 Open-Cell UPC 500 Max Open-Cell UPC 500 OCX Open-Cell UPC 1.7 Closed-Cell UPC 2.0 Closed-Cell

Please consult International Building Code (IBC), Chapter 26 - Plastic and International Residential Code (IRC) 2006 IRC R314, 2009 IRC R316, 2012 IRC R316 - Foam Plastics for specific requirements. The spray polyurethane foam insulation system(s) has/have been installed in accordance with manufacturer's processing guidelines to provide a thermal resistance of:

Area Insulated	Aged R-Value	Thickness*
Attic Area <input type="text"/>	R- <input type="text"/> at	<input type="text"/> inches
Sloped Ceilings <input type="text"/>	R- <input type="text"/> at	<input type="text"/> inches
Walls (location): <input type="text"/>	R- <input type="text"/> at	<input type="text"/> inches
Walls (location): <input type="text"/>	R- <input type="text"/> at	<input type="text"/> inches
Floors (over an unheated crawl space)	R- <input type="text"/> at	<input type="text"/> inches
Crawl Space Perimeter <input type="text"/>	R- <input type="text"/> at	<input type="text"/> inches
Basement Walls <input type="text"/>	R- <input type="text"/> at	<input type="text"/> inches

*Nominal thicknesses are representative of field, spray-applied foam material.

Jobsite Address

Date of Insulation Installation

Building Contractor

Insulation Contractor

Insulation Contractor Phone

Installed By

INSULATION CERTIFICATE • DO NOT REMOVE

Please post near electrical panel.

UNIVERSAL POLYMERS CORPORATION
"A Division of General Coatings Manufacturing Corporation"